
AA - CEGE - PACE (Professional and Continuing Education) Report



Scan completed: 9/3/2020 11:27:43 PM

Pages scanned: 181

Group Priority 1 issues All it

CSU Remediation WCAG 2.0 AA

CSU ATI Campus Specific Requirements

H63 Use the scope attribute to associate header cells and data cells in data tables

The objective of this technique is to associate header cells with data cells using the scope attribute. The scope attribute may be used to clarify the scope of any cell used as a header. The scope identifies whether the cell is a header for a row, column, or group of rows or columns. The values row, col, rowgroup, and colgroup identify these possible scopes respectively.

➤Data table is not using proper markup.

zpace/courses-programs/behavioral-health-sciences-and-social-work/certificate-nonprofit-leadership

Line 1171, column 1, table element

Line 1195, column 1, table element

pace/courses-programs/behavioral-health-sciences-and-social-work/certificate-of-nonprofit-leaders...

Line 1206, column 18, table element

Line 1222, column 18, table element

Line 1256, column 18, table element

Line 1272, column 18, table element

Line 1306, column 18, table element

pace/courses-programs/business-and-finance/accounting-certificate/course-material

Line 1180, column 18, table element

```
* pace/courses-programs/business-and-finance/accounting-certificate/schedule-accounting-certificate
                         Line 1254, column 1, table element
                  * pace/courses-programs/education/early-childhood-administrative-and-leadership-certificate/courses
                         Line 1171, column 1, table element
                         Line 1215, column 1, table element
                  * pace/courses-programs/hospitality/hospitality-management-certificate/program-details
                         Line 1188, column 1, table element
                  * pace/courses-programs/medical-health-care/basic-audiometry-and-hearing-problems
                         Line 1338, column 18, table element
                        Line 1346, column 4, table element
                  * pace/courses-programs/medical-health-care/individualized-supervised-practice-pathways-ispp-dietetic
                         Line 1313, column 1, table element
                         Line 1404, column 1, table element
                  *pace/courses-programs/medical-health-care/individualized-supervised-practice-pathwaysdietetics
                         Line 1287, column 1, table element
                         Line 1886, column 1, table element
                         Line 2053, column 1, table element
                   pace/courses-programs/medical-health-care/nutrition-foodservice-professional-training-program/nfsp
                         Line 1165, column 1, table element
                         Line 1182, column 1, table element
                  pace/degrees/bachelor-arts-criminal-justice-online-degree-completion-program/schedule-courses
                         Line 1176, column 18, table element
                         Line 1249, column 18, table element
                         Line 1321, column 18, table element
                  pace/degrees/master-business-administration-online-executives
                         Line 1169, column 1, table element
                   pace/degrees/mba-online-executives/course-schedules
                         Line 1260, column 18, table element
                         Line 1296, column 18, table element
                         Line 1342, column 18, table element
      UCSU.13.1.1 rp Anchor elements are required not to use any of the defined link phrases in the link text (e.g. "C...
             Clearly identify the target of each link. Good link text should not be overly general. For example: "click here" says
             nothing about what is to be found if the link is followed. Instead of "click here", link text should indicate the nature
             of the link target, as in the name of the document or page. If a vague Link Text such as "Read More" is used, use
             the Title Attribute along with aria-label property to provide descriptive information. If use of ARIA is not possible,
             then use the Title Attribute. Additional resource: Link text
            Anchor element contains link text that may not clearly identify the target of each link.
                   pace
                         Line 1182, column 567, a element, #content = "here"

■CSU Remediation Custom Other

      CSU.1.0a-20 Validate all links
             Check anchors (hyperlinks and bookmarks) in web sites to find broken links. Checkpoint filters out the Google
             Analytics script. Additional resources: 1. W3C Evaluation Tools 2. W3C Developer Tools 3. Checkpoint CSU.1.0a
             - Validate all links - Update Explained (PDF)
            Link returned: (404) Not found - Error is: (404) Not found
                   pace/courses-programs/medical-health-care/basic-audiometry-and-hearing-problems
                         Line 1167, column 21, a element, HREF = "COMING SOON!"
                  pace/degrees/mba-online-executives/financing-your-education
                         Line 1173, column 4, a element, HREF = "pace/degrees/mba-online-professionals/referral-program"
            Link returned: (E01) The remote name could not be resolved - Error is: (E01) The remote name could not be resolved
                   * pace/courses-programs/computer-technology/graduate-certificate-educational-technology
                         Line 1351, column 193, a element, HREF = "http://rre.csusb.edu/misc/documents/certificateprograms2015.pdf"
                   pace/courses-programs/education/graduate-certificate-e-learning
                         Line 1333, column 193, a element, HREF = "http://rre.csusb.edu/misc/documents/certificateprograms2015.pdf"
```

■CSU Remediation Perceivable

1.4.4 (Custom CSU.1.4.4a) and 1.4.5 (Custom CSU.F3a) each have a custom checkpoint only

Criterion 1.1.1 [Non-text Content]

The intent of this Success Criterion is to make information conveyed by non-text content accessible through the use of a text alternative. Text alternatives are a primary way for making information accessible because they can be rendered through any sensory modality (for example, visual, auditory or tactile) to match the needs of the user. Providing text alternatives allows the information to be rendered in a variety of ways by a variety of user agents. For example, a person who cannot see a picture can have the text alternative read aloud using synthesized speech. A person who cannot hear an audio file can have the text alternative displayed so that he or she can read it. In the future, text alternatives will also allow information to be more easily translated into sign language or into a simpler form of the same language.

H2 Combine adjacent image and text links for the same resource

This objective of this technique is to avoid unnecessary duplication that occurs when adjacent text and iconic versions of a link are contained in a document.

Adjacent links for same resource found

pace/courses-programs/field-schools/afs-overview

Line 1193, column 22, a element, HREF = "https://celmarketing.wufoo.com/forms/oregon-coast-archaeology-field-school-summer-2019/"

Line 1193, column 152, a element, HREF = "https://celmarketing.wufoo.com/forms/oregon-coast-archaeology-field-school-summer-2019/"

Image alternative text duplicates link text

pace/courses-programs/hospitality/instructors

Line 1166, column 1, img element, SRC = "/sites/default/files/M.%20Zuppe%20200723.jpg"

Criterion 1.3.1 [Info and Relationships]

The intent of this Success Criterion is to ensure that information and relationships that are implied by visual or auditory formatting are preserved when the presentation format changes. For example, the presentation format changes when the content is read by a screen reader or when a user style sheet is substituted for the style sheet provided by the author.

×H39 Use caption elements to associate data table captions with data tables

The objective of this technique is to programmatically associate captions for data tables where captions are provided in the presentation. The caption for a table is a table identifier and acts like a title or heading for the table.

Data table must have caption to identify table

pace/courses-programs/behavioral-health-sciences-and-social-work/certificate-nonprofit-leadership

Line 1171, column 1, table element

Line 1195, column 1, table element

pace/courses-programs/business-and-finance/management-certificate-public-procurement/schedule

Line 1206, column 18, table element

Line 1225, column 18, table element

Line 1264, column 18, table element

Line 1283, column 18, table element

Line 1322, column 18, table element

Line 1341, column 18, table element

Line 1380, column 18, table element

Line 1399, column 18, table element

pace/courses-programs/computer-technology/graduate-certificate-educational-technology

Line 1195, column 1, table element

■ pace/courses-programs/education/early-childhood-administrative-and-leadership-certificate/courses

Line 1171, column 1, table element

Line 1215, column 1, table element

pace/courses-programs/education/graduate-certificate-teaching-english-second-language

Line 1296, column 18, table element

```
* pace/courses-programs/education/online-certificate-reading-fundamentals
                  Line 1244, column 1, table element
            pace/courses-programs/education/supervision-coordination-sc
                  Line 1215, column 1, table element
            pace/courses-programs/hospitality/hospitality-management-certificate/program-details
                  Line 1188, column 1, table element
            pace/courses-programs/medical-health-care/basic-audiometry-and-hearing-problems
                  Line 1338, column 18, table element
                  Line 1346, column 4, table element
            pace/courses-programs/medical-health-care/individualized-supervised-practice-pathways-ispp-dietetic
                  Line 1313, column 1, table element
                  Line 1404, column 1, table element
            * pace/courses-programs/medical-health-care/individualized-supervised-practice-pathwaysdietetics
                  Line 1287, column 1, table element
                  Line 1886, column 1, table element
                  Line 2053, column 1, table element
            pace/courses-programs/medical-health-care/nutrition-foodservice-professional-training-program/nfsp
                  Line 1165, column 1, table element
                  Line 1182, column 1, table element
            pace/degrees/bachelor-arts-criminal-justice-online-degree-completion-program/admission-requirements
                  Line 1197, column 1, table element
H42 Use h1-h6 to identify headings
      The objective of this technique is to use HTML and XHTML heading markup to convey the structure of the
      content.
      Page does not use headers according to specification.
            pace/courses-programs/business-and-finance/executive-assistant
                  Line 1163, column 18, h3 element
            *pace/courses-programs/medical-health-care/basic-audiometry-and-hearing-problems
                  Line 1370, column 4, h4 element
            *pace/courses-programs/medical-health-care/nutrition-foodservice-professional-training-program
                  Line 1181, column 1, h5 element
            pace/degrees/mba-online-executives/accreditation-and-ranking
                  Line 1163, column 18, h3 element
H51 Use table markup to present tabular information
      The objective of this technique is to present tabular information in a way that preserves relationships within
      the information even when users cannot see the table or the presentation format is changed. Information is
      considered tabular when logical relationships among text, numbers, images, or other data exist in two
      dimensions (vertical and horizontal). These relationships are represented in columns and rows, and the
      columns and rows must be recognizable in order for the logical relationships to be perceived.
      Data table must have one row or column of headers
            pace/courses-programs/behavioral-health-sciences-and-social-work/certificate-nonprofit-leadership
                  Line 1171, column 1, table element
                  Line 1195, column 1, table element
            pace/courses-programs/behavioral-health-sciences-and-social-work/certificate-of-nonprofit-leaders...
                  Line 1206, column 18, table element
                  Line 1222, column 18, table element
                  Line 1256, column 18, table element
                  Line 1272, column 18, table element
                  Line 1306, column 18, table element
            *pace/courses-programs/business-and-finance/accounting-certificate/course-material
                  Line 1180, column 18, table element
            *pace/courses-programs/business-and-finance/accounting-certificate/schedule-accounting-certificate
                  Line 1254, column 1, table element
            * pace/courses-programs/education/early-childhood-administrative-and-leadership-certificate/courses
```

```
Line 1171, column 1, table element
     Line 1215, column 1, table element
* pace/courses-programs/hospitality/hospitality-management-certificate/program-details
     Line 1188, column 1, table element
pace/courses-programs/medical-health-care/basic-audiometry-and-hearing-problems
     Line 1338, column 18, table element
     Line 1346, column 4, table element
pace/courses-programs/medical-health-care/individualized-supervised-practice-pathways-ispp-dietetic
     Line 1313, column 1, table element
     Line 1404, column 1, table element
pace/courses-programs/medical-health-care/individualized-supervised-practice-pathwaysdietetics
     Line 1287, column 1, table element
     Line 1886, column 1, table element
     Line 2053, column 1, table element
*pace/courses-programs/medical-health-care/nutrition-foodservice-professional-training-program/nfsp
     Line 1165, column 1, table element
     Line 1182, column 1, table element
*pace/degrees/bachelor-arts-criminal-justice-online-degree-completion-program/schedule-courses
     Line 1176, column 18, table element
     Line 1249, column 18, table element
     Line 1321, column 18, table element
pace/degrees/master-business-administration-online-executives
     Line 1169, column 1, table element
pace/degrees/mba-online-executives/course-schedules
     Line 1260, column 18, table element
     Line 1296, column 18, table element
     Line 1342, column 18, table element
```

Criterion 1.4.3 [Contrast (Minimum)]

The intent of this Success Criterion is to provide enough contrast between text and its background so that it can be read by people with moderately low vision (who do not use contrast-enhancing assistive technology). For people without color deficiencies, hue and saturation have minimal or no effect on legibility as assessed by reading performance (Knoblauch et al., 1991). Color deficiencies can affect luminance contrast somewhat. Therefore, in the recommendation, the contrast is calculated in such a way that color is not a key factor so that people who have a color vision deficit will also have adequate contrast between the text and the background.

☑G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and bac...

The objective of this technique is to make sure that users can read text that is presented over a background. For Success Criterion 1.4.3, this technique describes the minimum contrast ratio for text that is less than 18 point (if not bold) and less than 14 point (if bold). For Success Criterion 1.4.5, this technique relaxes the 7:1 contrast ratio requirement for text that is at least 18 point (if not bold) or at least 14 point (if bold). If the background is a solid color (or all black or all white) then the relative luminance of the text can be maintained by making sure that each of the text letters have 4.5:1 contrast ratio with the background. If the background or the letters vary in relative luminance (or are patterned) then the background around the letters can be chosen or shaded so that the letters maintain a 4.5:1 contrast ratio with the background behind them even if they do not have that contrast ratio with the entire background. The contrast ratio can sometimes be maintained by changing the relative luminance of the letters as the relative luminance of the background changes across the page. Another method is to provide a halo around the text that provides the necessary contrast ratio if the background image or color would not normally be sufficiently different in relative luminance.

```
Content has invalid contrast ratio (color:rgb(255, 0, 0), background:rgb(255, 255, 255))
      pace/courses-programs/education/stem-certificate-educators
            Line 1223, column 242, p element
```

CSU Remediation Understandable Criterion 3.2.2 [On Input]

The intent of this Success Criterion is to ensure that entering data or selecting from a control has predictable effects. Changes in context can confuse users who do not easily perceive the change or are easily distracted by changes. Changes of context are appropriate only when it is clear that such a change will happen when a field is selected or a button is pressed.

×H32 Provide submit buttons

The objective of this technique is to provide a mechanism that allows users to explicitly request changes of context. The intended use of a submit button is to generate an HTTP request that submits data entered in a form, so it is an appropriate control to use for causing a change of context.

Form does not provide submit button

× pace/courses-programs

Line 1220, column 18, form element

CSU Remediation Operable

Criterion 2.4.6 [Headings and Labels]

The intent of this Success Criterion is to help users understand what information is contained in Web pages and how that information is organized. When headings are clear and descriptive, users can find the information they seek more easily, and they can understand the relationships between different parts of the content more easily. Descriptive labels help users identify specific components within the content.

UCSU.G130b-20 Providing descriptive headings (Check for minimum character length)

The objective of this technique is to make section headings within Web content descriptive. Descriptive headings and titles (see G88: Providing descriptive titles for Web pages) work together to give users an overview of the content and its organization. Descriptive headings identify sections of the content in relation both to the Web page as a whole and to other sections of the same Web page.

Header has very short header title

! pace

Line 1131, column 23, h1 element

pace/courses-programs/business-and-finance/accounting-certificate

Line 1259, column 18, h2 element

pace/courses-programs/business-and-finance/management-certificate-public-procurement/fees

Line 1132, column 23, h1 element

pace/courses-programs/education/continuous-enrollment-graduate-candidacy-standing

Line 1199, column 1, h3 element

pace/courses-programs/education/online-certificate-reading-fundamentals

Line 1242, column 18, h2 element

!pace/courses-programs/medical-health-care/individualized-supervised-practice-pathwaysdietetics/site

Line 1252, column 18, h2 element

pace/degrees/mba-online-executives/financing-your-education

Line 1163, column 18, h2 element

pace/military-veterans/fags

Line 1132, column 23, h1 element

Total 46