Cisco Contact Center Finesse – Agent Desk Guide

SIGN IN

- 1. Navigate to specified web page
- 2. Enter your user *ID*, *Password* and *Extension*.
- 3. Do NOT check the box to sign in as a Mobile Agent.
- 4. Click Sign In.
- 5. The Home screen is displayed; this is the main work screen.

QUEUE STATISTICS GADGET



lome Manage Call	Recording Controls									
Make a New Ca	I									
ueue Statistics										
		# Calls			Not Ready		Active	Wrap Up		
Queue Nam	ne 🔺		Max Tim	e Ready		In	Out	Other	Ready (Pending)	Not Ready (Pending)
UH.CLIN.EFC.NP.504.PQ		0	00:00:00	0	1	0	0	0	0	0
UH.CLIN.EFC.NT.505.PQ		0	00:00:00		1	0	0	0	0	0
UH.CLIN.EFC.SC.506.PQ		0	00:00:00		1	0	0	0	0	0
UH.CLIN.FAYE.901.PQ		0	00:00:00		1	0	0	0	0	0
UH.CLIN.FSC.801.PQ		0	00:00:00		1	0	0	0	0	0
UH.CLIN.FULT.902.PQ		0	00:00:00	0	1	0	0	0	0	0
Agent										
Agent Name	State	D	uration	Domain	Direction	Reason	Precision Queu	e / Skill Group	Attributes	
uctest8, mudoit	Not Ready	00	D:03:53	Cisco_Voice	Not Applicable	None				
Agent, Test	Ready	00	0:00:12	Cisco_Voice	Not Applicable	None				

The Queue Statistics gadget provides information on current queues and call statistics.

Queue Name: Name of the queue, some agents will see multiple queues

Calls: Number of calls waiting in the queue

Max Time: Maximum amount of time the oldest call has been in the queue

Ready: Number of agents in a Ready state in a queue

Not Ready: Number of agents in Not Ready state in a queue

Active In / Out / Other: Number of agents on active incoming, outgoing and consult calls

Wrap Up Ready / Not Ready: Number of agents completing work for a call and going into a Ready or Not Ready state when finished

AGENT GADGET

The Agent gadget provides information about the other agents in the queue, including name, readiness state and length of time in that state.

AGENT STATES

	Agent Test Agent1 (0506628) - Extens Not Ready • 01:08
Home	Manage Call

When first signing in, agents are defaulted to the Not Ready state and cannot take calls until they manually select a Ready state.

To change the state, click the drop down arrow. When *Ready* is selected, the call

bar will change to *Ready to accept incoming calls*. For the **Not Ready** state, it will show *Manage Call*. To step away for a break, select the appropriate **Not Read**y state for supervisor and team awareness.

Cisco Contact Center Finesse – Agent Desk Guide

RECEIVING NEW CALLS

To answer a new incoming call, click **Answer**, which displays in the upper right corner of the call control area.

When a new call is received, the call control area will display information about the caller. Agents will be able to see the length of the call, Caller ID, the Queue Name and data about the system.

ACTIVE CALL OPTIONS



While in a call, agents have the following options:

Keypad: Opens the dial pad.

Hold: Places the call on hold.

Consult: Opens the keypad so another agent may be consulted, or can be used to transfer a call to another number while remaining on the call.

Direct Transfer: Allows a call to be transferred to another number without remaining on the call.

CONSULTING A COLLEAGUE

IIIIII Agent mudoit uctest8 (1111115791) - Extension 1111115791 CISCO ● Talking ▼		Sign Out 🔻
Home Manage Call Recording Controls		
U0:42 (04:45) Caller ID: +15738829872 +15738829872	t Retrieve → Transfer	∼ End
Caller ID: +15738829872 Queue Name: Campus Telecom Queue Contact Center ID: 104 Call Variable 4: Bounced Call?:	DNIS: 5735543142 Call Variable 7: Call Variable 8: Call Variable 9: Last Prompt Played: 1041005	
👘 03:27 Caller ID: +15738829872 5737715794	₩ Keypad Hold L+ Consult + Direct Transfer	∼ End

When the consulted agent answers, the call control area will change to show both calls. Agents can:

- Click Hold to place the consulted agent on hold.
- Click **Retrieve** to return to the original caller.
- Click **Transfer** to transfer the caller to the consulted agent.
- Click **Conference** to join the consulted agent and the caller in a conference call.
- End the call with the consulted agent or the caller.

WRAP-UP

An agent enters a wrap-up state when a call is ended to give the agent time to finish call activities before being presented with the next call. The amount of time allotted for wrap-up is determined by the supervisor.

SIGN OUT



To sign out, select a *Not Ready* state.

In the top-right of the screen, select a Sign Out reason.

Note: If an agent just closes the browser, the agent will remain in the queue until signed out either by the agent or the supervisor, and could result in calls not being processed correctly.