

| Donart | mont: | | | | | | |
|-------------------|---|---|---|-----|-------------------|----------------------|----------|
| Depart Locatio | | | | | | | |
| | | | | | | | |
| Inspect Date: | UI. | | | | | | |
| Date. | | | | | | | |
| INSPEC | TION ITEMS | Υ | N | N/A | Corrective Action | Corrected at time of | Date |
| 11131 EC | TION TIENS | | | Ν | Corrective Action | inspection | Complete |
| Emerge | ency and Fires | | | | | | |
| | Are emergency phone numbers (including | | | | | | |
| | EH&S injury hotline) posted near a phone? | | | | | | |
| 2. | Do employees know where to gather in | | | | | | |
| | case of an evacuation? | | | | | | |
| 3. | Do employees know where and how | | | | | | |
| | receive care for an injury? | | | | | | |
| 4. | Are signs present for emergency safety | | | | | | |
| | equipment (eyewash, exits etc.)? | | | | | | |
| 5. | Are emergency evacuation drills regularly | | | | | | |
| | conducted? | | | | | | |
| 6. | Are all exits and paths free of obstruction? | | | | | | |
| 7. | Are first aid kits fully stocked and | | | | | | |
| | inspected monthly? | | | | | | |
| 8. | Are fire extinguishers present and | | | | | | |
| | inspected within the past year? | | | | | | |
| 9. | Are oily rags kept in a metal bin and | | | | | | |
| | removed from the shop daily? | | | | | | |
| 10. | Are flammable materials in excess of 10 | | | | | | |
| | gallons stored in appropriate containers | | | | | | |
| | and storage cabinets? | | | | | | |
| Safety | Administration | | | | | | |
| 1. | Have all employees received general | | | | | | |
| | safety training: MSDS, personal protective | | | | | | |
| | equipment (PPE), fire and back safety, | | | | | | |
| | etc.? | | | | | | |
| 2. | Have all employees been trained on the | | | | | | |
| | equipment that they operate? | | | | | | |
| 3. | Are all employees current on specialized | | | | | | |
| | training: | | | | | | |
| | Ladders | | | | | | |
| | Fall Protection | | | | | | |
| | ■ First Aid | | | | | | |
| | Lockout/Tagout | | | | | | |
| | ■ Forklift | | | | | | |
| | Materials Handling | | | | | | |
| | Respirators | | | | | | |
| | Injury and Illness Prevention | | | | | | |



| INSPEC | CTION ITEMS | Υ | N | N/A | Corrective Action | Corrected at time of inspection | Date Complete |
|--------|---|---|---|-----|-------------------|---------------------------------|------------------|
| 4. | Are all safety trainings documented and filed? | | | | | | |
| 5. | Are regularly scheduled safety meetings conducted in the shop? | | | | | | |
| 6. | Are safety meeting minutes posted and implemented? | | | | | | |
| 7. | Do all employees have access to the shop safety guide? | | | | | | |
| 8. | Is PPE provided and used whenever necessary? | | | | | | |
| 9. | Are filters changed routinely? | | | | | | |
| | keeping and Ventilation | | | | | | |
| | Are all worksites clean and orderly? | | | | | | |
| 2. | Are waste containers kept clean and emptied daily? | | | | | | |
| 3. | Is food kept in the designated area at all times? | | | | | | |
| 4. | Are all cabinets and shelves secured or anchored? | | | | | | |
| 5. | Are all machines secured or anchored? | | | | | | |
| 6. | Are floors in good condition and kept dry? | | | | | | |
| 7. | Are all light fixtures adequate and functioning properly? | | | | | | |
| 8. | Is the ventilation system adequate for the work being performed? | | | | | | |
| 9. | Are filters changed routinely? | | | | | | |
| | cal Safety | | | | | | |
| 1. | Are all plugs, cords, and panels enclosed, free from splices with insulation in good condition? | | | | | | |
| 2. | Do all extension cords have grounding conductors? | | | | | | |
| 3. | Are extension cords used only temporarily? Never link cords together! | | | | | | |
| 4. | Do cords secured so they do not run across pathways, under doors or the walls? | | | | | | |
| 5. | Is the breaker panel accessible with labels identifying the function of each switch? | | | | | | |
| 6. | Are ground fault circuit interrupters available for use in wet areas? | | | | | | |
| 7. | Are hand-tools effectively grounded or an approved double insulated type? | | | | | | |
| Mecha | nical Safety | | | | | | |
| | Is defective equipment promptly reported, labeled, and repaired? | | | | | | |



| INSPEC | TION ITEMS | Υ | N | N/A | Corrective Action | Corrected at time of inspection | Date Complete |
|---------|--|---|---|-----|-------------------|---------------------------------|------------------|
| 2. | Do all machines have guards to protect | | | | | | |
| | against points of operation, nip points, | | | | | | |
| | rotating parts, moving parts, flying chips, | | | | | | |
| | sparks, etc.? | | | | | | |
| 3. | Are start, stop, emergency and other | | | | | | |
| | operating controls within the operator's reach? | | | | | | |
| 1 | Are written standard operating procedures | | | | | | |
| 4. | (SOPs) for each machine available and | | | | | | |
| | executed by all employees? | | | | | | |
| 5. | Are machines regularly cleaned and | | | | | | |
| | maintained? | | | | | | |
| 6. | Are maintenance records, calibrations, | | | | | | |
| | certifications of each machine kept on file? | | | | | | |
| 7. | Do only authorized employees perform | | | | | | |
| | repairs? | | | | | | |
| | le Tools | | | | | | |
| 1. | Are all electrical hand tools in good | | | | | | |
| 2 | operating condition? Are tools free from cracks and broken | | | | | | |
| ۷. | parts? | | | | | | |
| 3 | Are ladders free from dents, splinters, | | | | | | |
| J. | grease, dirt etc.? | | | | | | |
| 4. | Do the spreaders lock in place? | | | | | | |
| | Are all safety feet on the ladder in good | | | | | | |
| | condition? | | | | | | |
| 6. | Are only approved welding equipment used? | | | | | | |
| 7. | Are all welding equipment properly insulated? | | | | | | |
| 8. | Are fuel gas hoses red, oxygen green, and | | | | | | |
| | inert gas black? | | | | | | |
| | Are cylinders legibly marked? | | | | | | |
| 10. | Are cylinders and hoses free from cracks | | | | | | |
| 4.4 | or dents? | | | | | | |
| 11. | Are cylinders secured upright with a | | | | | | |
| Storage | double chain and valve protector caps? p. Hazardous Materials and Waste | | | | | | |
| | Are materials stored to prevent falls and | | | | | | |
| | spills? | | | | | | |
| 2. | Do signs designate storage areas? | | | | | | |
| | Are all storage containers labeled with | | | | | | |
| | their contents? | | | | | | |
| 4. | Are storage racks free from sagging? | | | | | | |
| 5. | Are employees taught how to stock and | | | | | | |
| | unstock shelves safely? | | | | | | |



| INSPECTION ITEMS | Υ | N | N/A | Corrective Action | Corrected at time of inspection | Date Complete |
|---|---|---|-----|-------------------|---------------------------------|------------------|
| 6. Are combustibles and chemicals kept in | | | | | | |
| closed containers when not in use? | | | | | | |
| 7. Do workers use the appropriate PPE when | | | | | | |
| handling materials? | | | | | | |
| 8. Has a current chemical inventory list been | | | | | | |
| provided to EH&S? | | | | | | |
| 9. Are chemicals separated by hazard class | | | | | | |
| (acids, bases, etc.)? | | | | | | |
| 10. Is chemical waste properly separated and | | | | | | |
| stored with EH&S? | | | | | | |
| 11. Hazardous Waste Tags? | | | | | | |
| 12. Does EH&S pick up the hazardous waste at | | | | | | |
| least 9 months from generation? | | | | | | |

^{*}This Checklist should be used as a guideline in the shop. All shops are unique with different hazards. Supervisors are encouraged to identify hazards that are not included and supplement the list to ensure utmost worker safety.